

## Presenting | WORLD OF FLOOR-TEX

*Unraveling our Collection,  
you will love at first sight.*

## OUR BRANDS



**Chevron**

by FLOOR-TEX



**RICO**

**Pronto**

**c a n t o n**

**BELAIR**

Wood Flor



**Classic**

EDEN - GLOSSY FLOORING COLLECTION



**ZEST**  
Fusion Flooring

**Valmont**

by FLOOR-TEX



Xtra Small Planks

**bliss Floors**



**STUDIO**  
RANDOM WIDTH FLOORING

IMPERIAL HERRINGBONE FLOORING



*On the  
pages that  
follow,  
you'll get  
a first  
glimpse of  
our exciting  
designs,  
along with  
an  
insight into  
our new  
range of  
wood floors*

## EXCLUSIVE WOODEN FLOORING

*Discover by FLOOR-TEX*





AFRICAN OAK - 7056



DANISH OAK - 7050



MOUNTAIN GREY - 7052



EUROPEAN OAK - 7051



AMBER BROWN - 7047



COCOA BROWN - 7055



EBONY WENGE - 7049



ITALIAN WALNUT - 7057



EMPIRE OAK - 7045



CARAMEL BROWN - 7046



OLIVE WALNUT - 7059



CLASSIC OAK - 7054



OAK FOREST - 7053



COUNTRY MERBAU - 7060



COFFEE WALNUT - 7048



OAK WHEAT - 7058

# TECHNICAL SPECIFICATIONS

Collection	<b><i>DISCOVER - PREMIUM WOOD DECORS</i></b>
Surface Structure	Embossed Surface with Natural Wood Textures
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click Locking System with Moisture Resistant Yellow HDF Board
Dimensions	1215 x 195mm x 8mm
Boards/Box	10 Pcs.
Area/Box	2.369 sq.mtrs per box/25.50 Sq.ft per box.



## EXCLUSIVE WOODEN FLOORING

*EDEN by FLOOR-TEX*

EDEN - GLOSSY FLOORING COLLECTION 



**EDEN - CHESTNUT BROWN (7028)**



**EDEN - RUSTIC GREY (7029)**



**EDEN - HICKORY OAK (7030)**



**EDEN - AMERICAN WALNUT (7031)**



**EDEN - REGAL MERBAU (7032)**

# TECHNICAL SPECIFICATIONS

Collection	<b><i>EDEN - GLOSSY FLOORING COLLECTION</i></b>
Surface Structure	Gloss Embossed Surface with 3 Strip Real Wood Textures - U Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	1215 x 196 x 8mm
Boards/Box	10 Pcs.
Area/Box	2.38 sq.mtrs per box/25.60 sq.ft per box.

## EXCLUSIVE WOODEN FLOORING

*Imperial by FLOOR-TEX*

IMPERIAL HERRINGBONE FLOORING








BLUE SAPPHIRE - 7025



TEXAS BROWN - 7026



LUXURY ORCHID - 7023



SMOKED OAK - 7027



AMERICAN OAK - 7024



AFRICAN WENGE - 7022



**IMPERIAL - LUXURY ORCHID (7023)**



**IMPERIAL - SMOKED OAK (7027)**



**IMPERIAL - BLUE SAPPHIRE (7025)**



**IMPERIAL - AMERICAN OAK (7024)**



**IMPERIAL - SMOKED OAK (7027)**

# TECHNICAL SPECIFICATIONS

Collection	<b><i>IMPERIAL - HERRINGBONE FLOORING COLLECTION</i></b>
Surface Structure	Embossed Surface with Designer Wood Textures - V Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC5, Class 33
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	600 x 100 x 10mm
Boards/Box	24 Pcs.
Area/Box	1.44 sq.mtrs per box/15.49 sq.ft per box.



## EXCLUSIVE WOODEN FLOORING

*Pronto by FLOOR-TEX*

**Pronto**

*HARVEST BROWN - 7004*



*MOCHA TAN - 7002*



*OHIO OAK - 7001*



*WILD OAK - 7006*



*AUSTRIAN WALNUT - 7003*





**PRONTO - OHIO OAK (7001)**



**PRONTO - MOCHA TAN (7002)**



**PRONTO - AUSTRIAN WALNUT (7003)**



**PRONTO - WILD OAK (7006)**



Laid Image:  
Wild Oak  
(7006)





Laid Image:  
Wild Oak  
(7006)

# TECHNICAL SPECIFICATIONS

Collection	<b><i>P r o n t o - The Designer Series</i></b>
Surface Structure	Embossed Square Edge Surface with Natural Wood Textures
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	1215 x 195 x 8mm
Boards/Box	8 Pcs.
Area/Box	1.895 sq.mtrs per box/20.39 sq.ft per box.

## EXCLUSIVE WOODEN FLOORING

*Bliss by FLOOR-TEX*

**bliss Floors**



***FOREST - 7010***



***ASPEN - 7011***



**BLISS - FOREST (7010)**



**BLISS - ASPEN (7011)**



Laid Image:  
Forest  
(7010)

## TECHNICAL SPECIFICATIONS

Collection	<b><i>bliss Floors - Rustic Textures with Narrow Width</i></b>
Surface Structure	EIR Embossed/Special Synchronized Surface with Natural Wood Textures
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	1215 x 126 x 8mm
Boards/Box	16 Pcs.
Area/Box	2.449 sq.mtrs per box/26.35 sq.ft per box.



## EXCLUSIVE WOODEN FLOORING

*Canton by FLOOR-TEX*


**c a n t o n**

*COTTAGE OAK - 7008*

*MEMPHIS NATURAL - 7007*

*HARBOUR COFFEE - 7009*






**CANTON - MEMPHIS NATURAL (7007)**



**CANTON - COTTAGE OAK (7008)**



**CANTON - HARBOUR COFFEE (7009)**



Laid Image:  
Cottage Oak  
(7008)

# TECHNICAL SPECIFICATIONS

Collection	<b><i>c a n t o n - Gunmetal Effect</i></b>
Surface Structure	EIR Embossed/Special Synchronized Surface with Natural Wood Textures - V Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	1215 x 165 x 8mm
Boards/Box	12 Pcs.
Area/Box	2.406 sq.mtrs per box/25.88 sq.ft per box.

## EXCLUSIVE WOODEN FLOORING

*Classic by FLOOR-TEX*

**Classic**





**LUXOR TAN -  
7015**

**LODGI VILLA -  
7017**

**CHICAGO PINE -  
7014**

**MOUNTAIN OAK -  
7016**

**ASH GREY -  
7018**



**CLASSIC - LUXOR TAN (7015)**



**CLASSIC - CHICAGO PINE (7014)**



**CLASSIC - MOUNTAIN OAK (7016)**



**CLASSIC - ASH GREY (7018)**



**CLASSIC - LODGI VILLA (7017)**

# TECHNICAL SPECIFICATIONS

Collection	<b><i>Classic - Engineered/Hardwood Look</i></b>
Surface Structure	EIR Embossed/Special Synchronized Surface with Natural Wood Textures - V Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC4, Class 32
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System with Moisture Resistant Yellow Backing
Dimensions	1215 x 143 x 8mm
Boards/Box	12 Pcs.
Area/Box	2.084 sq.mtrs per box/22.42 sq.ft per box.

A photograph of a room featuring wood-look flooring. The floor is made of wide, light-brown planks with a prominent wood grain. In the background, there are two wooden doors with horizontal grain and metal handles. The walls are white, and there are black rectangular objects on the wall, possibly light switches or outlets. A black lamp is visible in the upper right corner.

Laid Image:  
Luxor Tan  
(7015)





Laid Image:  
Lodgi Villa  
(7017)

Laid Image:  
Chicago Pine  
(7014)



Laid Image:  
Ash Grey  
(7018)





Laid Image:  
Mountain Oak  
(7016)

# Premium Random Width Flooring

***STUDIO by FLOOR-TEX***





DALLAS OAK - 7039




CASTLE BROWN - 7042



SWISS OAK - 7040

**Random  
Width  
Flooring**



**STUDIO - DALLAS OAK (7039)**

**Random  
Width  
Flooring**



**STUDIO - SWISS OAK (7040)**



**Random  
Width  
Flooring**



**STUDIO - CASTLE BROWN (7042)**



**STUDIO - DALLAS OAK (7039)**

**Floor-tex**<sup>®</sup>  
Adding more to life

Since 1989  
**CREATIVE CONCEPTS**  
Architectural & Lifestyle Products





**Floor-tex<sup>®</sup>**  
Adding more to life

Since 1989  
**CREATIVE  
CONCEPTS**  
Architectural & Lifestyle Products





**Floor-tex**<sup>®</sup>  
Adding more to life

Since 1989  
**CREATIVE  
CONCEPTS**  
Architectural & Lifestyle Products



# TECHNICAL SPECIFICATIONS

Collection	<b><i>STUDIO - RANDOM WIDTH FLOORING</i></b>
Surface Structure	Hand Scraped Surface with Natural Wood Texture - V Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC5, Class 33
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click Locking System   Wax Coated   Yellow HDF Board
Dimensions	1215 x 162/126/90mm x 8mm
Boards/Box	12 Pcs.
Area/Box	1.837 sq.mtrs per box/19.76 sq.ft per box.



Its time to REDEFINE  
Wooden Flooring like never  
seen before

***XS by FLOOR-TEX***





*BRAZILIAN TAN - 7037*



*REGAL BROWN - 7035*




*NORDIC GREY - 7036*



*LATIN WALNUT - 7034*







**XS - Nordic Grey (7036)**

# TECHNICAL SPECIFICATIONS

Collection	<b><i>XS - Xtra Small Planks</i></b>
Surface Structure	Embossed Surface with Hardwood Look Texture - U Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC5, Class 33
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Arc Click System & Wax Coated with Foam Backing
Dimensions	810 x 103 x 8+2mm
Boards/Box	36 Pcs.
Area/Box	3.00 sq.mtrs per box/32.28 sq.ft per box.

## *CARO by FLOOR-TEX*







**SPANISH  
WALNUT  
7071**





**SAND GREY  
7070**





SNOW OAK  
7069





**SPANISH WALNUT**  
**7071**



**SAND GREY**  
**7070**

**SNOW OAK**  
**7069**

# TECHNICAL SPECIFICATIONS

Collection	<b>CARO   Spanish Designs</b>
Surface Structure	Natural Wood Grain Surface - V Groove
Overlay	Highly Resistant Surface impregnated with Melamine Resins and Aluminium Oxide
Substrate	High Density Fibre Board of E1 Standards
Balancer	Melamine impregnated paper
Abrasion Class	AC5, Class 33
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Unilin Click Locking System   Wax Coated   Yellow Plank Backing
Dimensions	1215 x 193mm x 8mm
Boards/Box	10 Pcs.
Area/Box	2.344 sq.mtrs per box/25.22 sq.ft per box.

# Introducing



**Real Wood Grains**



*Valmont*

**AMBER NATURALE**  
**7088**

*Valmont*

**OAK DUSK  
7087**

*Valmont*

**CAPPUCCINO OAK**  
**7089**

*Valmont*

OAK CRÈME  
7086

Since 1989

**CREATIVE  
CONCEPTS**  
Architectural & Lifestyle Products



Oak  
Creme  
7086

# TECHNICAL SPECIFICATIONS

<b>Collection</b>	<b>VALMONT   8mm</b>
<b>Surface Structure</b>	Special Embossed Wood Grain Surface - U Groove
<b>Overlay</b>	Highly Resistant Surface impregnated with Melamine Resins & Aluminium Oxide
<b>Substrate</b>	High Density Fibre Board of E1 Standards
<b>Balancer</b>	Melamine impregnated paper
<b>Abrasion Class</b>	AC5, Class 33
<b>Application Areas</b>	Ideal for Heavy Residential and General Commercial Use
<b>Installation</b>	Unilin Click Locking System   Embossed Wood Grain Surface   Yellow Plank Backing
<b>Dimensions</b>	1216 x 197mm x 8mm
<b>Boards/Box</b>	10 Pcs.
<b>Area/Box</b>	2.395 sq.mtrs per box/25.77 sq.ft per box.

# Introducing ZEST by FLOOR-TEX



**ZEST**  
Fusion Flooring



## ZEST Fusion Flooring

Introducing our latest innovation in premium wood flooring :  
ZEST | Fusion Flooring by FLOOR-TEX

ZEST has decors for everyone who appreciates the extraordinary and  
exclusive patterns with the robustness of a solid wood flooring

Our Collection combines conventional beauty with high end fashioning  
opportunities, and thus lends that special something to every setting

Create fascinating patterns with our exclusive decors and experience fusion  
flooring like never seen before.

1216 x 197mm x 8mm

- | 8MM Thickness | AC5 | Fusion Pattern | Exclusive Decors |
- | Natural Wood Grain Surface | Painted V Groove |
- | Yellow Plank Backing | Unilin Click Locking |

**Floor-tex**<sup>®</sup>  
Adding more to life



7085



7084



7083



7082





**ZEST**  
Fusion Flooring

**IMPERIAL  
WALNUT  
7082**



**ZEST**  
Fusion Flooring

**FUSION  
GREY  
7083**



**ZEST**  
Fusion Flooring

**CHESTNUT  
WENGE  
7085**



**ZEST**  
Fusion Flooring

**SMOKED  
OLIVE  
7084**



Smoked  
Olive  
7084

# TECHNICAL SPECIFICATIONS

<b>Collection</b>	<b>ZEST   Fusion Flooring</b>
<b>Surface Structure</b>	Natural Wood Grain Surface - Painted V Groove
<b>Overlay</b>	Highly Resistant Surface impregnated with Melamine Resins & Aluminium Oxide
<b>Substrate</b>	High Density Fibre Board of E1 Standards
<b>Balancer</b>	Melamine impregnated paper
<b>Abrasion Class</b>	AC5, Class 33
<b>Application Areas</b>	Ideal for Heavy Residential and General Commercial Use
<b>Installation</b>	Unilin Click Locking System   Exclusive Decors   Special Yellow Plank Backing
<b>Dimensions</b>	1216 x 197mm x 8mm
<b>Boards/Box</b>	10 Pcs
<b>Area/Box</b>	2.395 sq.mtrs per box/25.77 sq.ft per box

Introducing

**CHEVRON**  
by **FLOOR-TEX**

---

**Chevron**

by FLOOR-TEX

---

# Chevron

by FLOOR-TEX

Introducing our latest innovation in premium wood flooring :  
CHEVRON by FLOOR-TEX | European Designs

CHEVRON Pattern in Wood Flooring originated around the 16th century in France. It was one of the many favored styles used in high profile projects for the nobles and monarchs.

Our Collection is crafted with a wide range of carefully selected, exquisite natural wood decors along with the exceptional quality and stability of a solid wood flooring.

1220 x 300mm x 8mm

8MM Thickness	AC5	Chevron/Fishbone Pattern
Natural Wood Grain Surface	V Groove	European Designs
Special Beige Plank Backing	Unilin Click Locking	

**Floor-tex**<sup>®</sup>  
Adding more to life





TUSCAN HARVEST 7094



AMERICAN BIRCH 7093



NORDIC BROWN 7092



ASH OAK 7090



OAK RUSTIC 7091

---

**Chevron**

by FLOOR-TEX

**TUSCAN  
HARVEST  
7094**

---

**Chevron**

by FLOOR-TEX

**AMERICAN  
BIRCH  
7093**

---

# Chevron

by FLOOR-TEX

**NORDIC  
BROWN  
7092**

---

**Chevron**

by FLOOR-TEX

**ASH OAK  
7090**

---

# Chevron

by FLOOR-TEX

**OAK  
RUSTIC  
7091**



# TECHNICAL SPECIFICATIONS

<b>Collection</b>	<b>CHEVRON   European Designs</b>
<b>Surface Structure</b>	Natural Wood Grain Surface - V Groove
<b>Overlay</b>	Highly Resistant Surface impregnated with Melamine Resins & Aluminium Oxide
<b>Substrate</b>	High Density Fibre Board of E1 Standards
<b>Balancer</b>	Melamine impregnated paper
<b>Abrasion Class</b>	AC5, Class 33
<b>Application Areas</b>	Ideal for Heavy Residential and General Commercial Use
<b>Installation</b>	Unilin Click Locking System   European Designs   Special Beige Plank Backing
<b>Dimensions</b>	1220 x 300mm x 8mm
<b>Boards/Box</b>	6 Pcs.
<b>Area/Box</b>	2.196 sq.mtrs per box/23.62 sq.ft per box   A & B



## Introducing | 12MM





NATURAL FOREST - 7076



SWEDISH OAK - 7079



CHARCOAL GREY - 7081



SPANISH WENGE - 7078



TUSCAN BROWN - 7080



TROPICAL WALNUT - 7077



Natural Forest 7076



Swedish Oak 7079



Charcoal Grey 7081



Spanish Wenge 7078



Tuscan Brown 7080



Tropical Walnut 7077

# TECHNICAL SPECIFICATIONS

<b>Collection</b>	<b>BELAIR   12mm</b>
<b>Surface Structure</b>	<b>Natural Wood Grain Surface - V Groove</b>
<b>Overlay</b>	<b>Highly Resistant Surface impregnated with Melamine Resins &amp; Aluminium Oxide</b>
<b>Substrate</b>	<b>High Density Fibre Board of E1 Standards</b>
<b>Balancer</b>	<b>Melamine impregnated paper</b>
<b>Abrasion Class</b>	<b>AC5, Class 33</b>
<b>Application Areas</b>	<b>Ideal for Heavy Residential and General Commercial Use</b>
<b>Installation</b>	<b>Unilin Click Locking System   Wax Coated   Special Yellow Plank Backing</b>
<b>Dimensions</b>	<b>1215 x 195mm x 12mm</b>
<b>Boards/Box</b>	<b>6 Pcs.</b>
<b>Area/Box</b>	<b>1.421 sq.mtrs per box/15.29 sq.ft per box.</b>

## Introducing | 12MM



by FLOOR-TEX



Belgian Walnut 7075



Java Mint 7073



Austrian Oak 7074



Oak Caramel 7072



# TECHNICAL SPECIFICATIONS

<b>Collection</b>	<b>RICO   12mm</b>
<b>Surface Structure</b>	Special Embossed Wood Grain Surface - V Groove
<b>Overlay</b>	Highly Resistant Surface impregnated with Melamine Resins & Aluminium Oxide
<b>Substrate</b>	High Density Fibre Board of E1 Standards
<b>Balancer</b>	Melamine impregnated paper
<b>Abrasion Class</b>	AC5, Class 33
<b>Application Areas</b>	Ideal for Heavy Residential and General Commercial Use
<b>Installation</b>	Unilin Click Locking System   Wax Coated   Special Yellow Plank Backing
<b>Dimensions</b>	1215 x 195mm x 12mm
<b>Boards/Box</b>	6 Pcs.
<b>Area/Box</b>	1.421 sq.mtrs per box/15.29 sq.ft per box.

# APPLICATION AREAS



**Kalpesh Shah**

**98250 29424**

kh.shah@yahoo.co.in

kalpesh.creative@gmail.com

**Since 1989**



**Architectural & Lifestyle Products**

G-12, Mangaldeep, Jetalpur Cross Road, Productivity Road, Alkapuri,  
Vadodara-390007. Phone : 2333154, 2323154